

DEFIANT[®]

VERTICAL BLINDS



DEFIANT

VERTICAL BLINDS

All Defiant blinds are carefully built to exacting standards, to give years of trouble-free service. The superior design features and quality components enable them to be confidently specified for the most demanding applications. Defiant blinds are designed for intensive use and are frequently to be seen in busy public areas such as hospitals and schools, as well as commercial and residential environments.

The Defiant vertical blind programme is one of the most comprehensive available, ranging from slim standard units to heavy-duty electrically controlled blinds.

The Defiant fabrics programme encompasses a vast range of fabrics, many of which are flame-retardant to government standards. Fabric types include dim-out, black-out, solar reflective, sun-screen and solar film.

Defiant blinds are available through a nationwide network of distributors, with experienced installation and service teams providing an unrivalled level of support.



Maintenance

Defiant vertical blinds are designed to require low maintenance. The headrails and components are made from durable materials and will not corrode in normal use. In the event of damage most components are easily replaceable. Internal surfaces of headrails may be lubricated if necessary with a light application of silicone spray. Louvre fabrics have high mechanical and dimensional stability and colour fastness. Some ranges are fully washable.

DEFIANT

VL20 Standard



Features: 28 x 27mm white aluminium ribbed headrail with face or top-fix brackets and white carrier tracks. Metal bead-chain tilt control, and cord draw. 127/89/63mm louvres with weights and white stabilising chain. Single or split draw. Optional VL20A has a 38 x 28mm profiled headrail.

Benefits: Popular and economical, the VL20 is the first choice for many applications. Equally at home in residential or commercial environments it is a pleasing and functional design, giving proven performance at a sensible price. The VL20A Profiled headrail version has a smoothly rounded profile to give that extra touch of style.

Options: VL20A Profiled headrail version; VL23 Sloping headrail version; Extension brackets; Sewn-in weights.

Specification: Defiant VL20 Vertical blind as supplied by the Better Blind Company 0161 367 9013. 28 x 27mm white headrail with bead-chain tilt control and cord draw. 127/89/63mm louvres in flame-retardant fabric from standard range, complete with louvre weights and white stabilising chain.



The VL20 is available on the Kestrel Magnetic Suspension System as an anti-ligature blind for the prevention of patient self-harm in mental health areas. For further information see the Kestrel brochure or contact the Better Blind Company or their distributors.

VL21 Wand Control



Features: 28 x 27mm white aluminium ribbed headrail with face or top-fix brackets and white carrier trucks. Draw operation is by drawing the control wand attached to the leading truck. Rotating the wand operates the louvre tilt mechanism. 127/89/63mm louvres with weights and white stabilising chain. Optional VL21A has a 38 x 28mm profiled headrail.

Benefits: All the benefits of the VL20, with the added safety feature of wand control. A simple and cost-effective solution to the dangers of loops and cords, particularly where children are present. VL21A Profiled headrail version has a smoothly rounded profile to give that extra touch of style.

Options: VL21A Profiled headrail version; Extension brackets; Sewn-in weights.

Specification: Defiant VL21 Vertical blind as supplied by the Better Blind Company 28 x 27mm white headrail with wand operated draw and tilt control. 127/89/63mm louvres in flame-retardant fabric from standard range, complete with louvre weights and white stabilising chain.



The VL21 is available on the Kestrel Magnetic Suspension System as an anti-ligature blind for the prevention of patient self-harm in mental health areas. For further information see the Kestrel brochure or contact the Better Blind Company or their distributors.

VL25 Battery remote tilt-only



Features: 28 x 27mm white aluminium ribbed headrail with face or top-fix brackets and white carrier trucks. Draw operation is by standard cord control but louvre tilt is by battery-powered electric motor. This is controlled by a hand-held infra-red remote transmitter. 127/89/63mm louvres with weights and white stabilising chain. Single or split draw.

Benefits: The VL25 offers fingertip control of light and vision, simply and economically. The remote controller may be programmed to operate up to three blinds individually or as a group. Most components are from the well-proved VL20, whilst batteries should last a year under normal usage, and are easily replaceable.

Options: Extension brackets; Sewn-in weights; Chronolux security timer.

Specification: Defiant VL25 Vertical blind as supplied by the Better Blind Company 28 x 27mm white headrail with cord draw and battery electric remote tilt control. 127/89/63mm louvres in flame-retardant fabric from standard range, complete with louvre weights and white stabilising chain.

